


## CERTIFICATE OF ANALYSIS

**Product:** 750 ML SOMAFIX ADHESIVE EPS-XPS POLYURETHANE GUN FOAM

We certify that the following product has these values (@23 °C 50 % RH):

Test	Test Method	Unit	Value
Colour	Visual Test	-	BLUE
Skin Forming Time	FEICA TM1014	min.	8 - 10
Cutting Time	FEICA TM1005	min.	15 - 20
Ultimate Elongation	DIN 53504	%	19
Tensile Strength	DIN 53504	N/cm <sup>2</sup>	3
Density	İnternel Test	g/cm <sup>3</sup>	17 - 20
Thermal Resistance	İnternel Test	°C	- 40 - 100
Yield	FEICA TM1003	m <sup>2</sup>	2 cm width 14 m <sup>2</sup> 3 cm width 10 m <sup>2</sup>
Closed Cell Content	İnternel Test	%	70 - 80
Thermal Conductivity	İnternel Test	mW/min.K	25 - 30

SOMA KİMYA SAN ve TIC. A.Ş  
Quality Control

  
SOMA KİMYA SANAYİ ve TİCARET A.Ş.  
İsmail Abay  
M. No: 70 Ad. Sıtky-İSTANBUL  
B. No: 7730348010 Tic. Sic. No: 435906  
Tel.: 0212 771 1552 (3 hat) Fax: 0212 771 3934