

CERTIFICATE OF ANALYSIS

Product: 750 ML FERMFIX POLYURETHANE GUN FOAM

We certify that the following product has these values (@23 °C 50 % RH):

Test	Test Method	Unit	Value
Colour	Visual Test	-	LIGHT YELLOW
Skin Forming Time	FEICA TM1014	min.	8 - 10
Cutting Time	FEICA TM1005	min.	30 - 45
Ultimate Elongation	DIN 53504	%	19
Tensile Strength	DIN 53504	N/cm ²	3
Density	İnternel Test	g/cm ³	17 - 20
Thermal Resistance	İnternel Test	°C	- 40 - 100
Yield	FEICA TM1003	l	40 - 50
Closed Cell Content	İnternel Test	%	70 - 80
Thermal Conductivity	İnternel Test	mW/min.K	25 - 30

SOMA KİMYA SAN ve TIC. A.Ş
Quality Control



SOMA KİMYA
SANAYİ ve TİCARET A.Ş.
Hadımköy Mah. Alparslan Sk. No: 10 Arnavutköy-İSTANBUL
Bo. Sic. Kurumlar V.D. : 7730340013 Tic. Sic. No: 405966
Tel.: 0212 771 15 52 / 3 hat Fax: 0212 771 39 34